



## Instructions

The second edition of ICD-10-AM has been produced by the National Centre for Classification in Health from a database in an effort to improve accuracy and consistency. Consequently, errata for Volumes 1–4 is produced from the same database which has resulted in the change of format shown below. Each row in the errata represents an item/change to be made and contains the following information necessary to complete the errata item.

### Tabular/Index Entry


The Tabular Entry (volume:block:code) or Index Entry (volume:main term:subterm) to which the errata item applies. For example:

VOL1:R02	Volume 1, Code R02
VOL3:1885:92181-00	Volume 3, Block 1885, Code 92181-00
VOL4:Revision:device:port, implantable vascular access	Volume 4, Revision - device - - port, implantable vascular access


### Note Type

The part of the Tabular or Index Entry to which the errata item applies. To use this errata, it is important to think of a Tabular Entry and an Index Entry as being composed of separate elements as shown in the examples below.

#### Tabular Entry



#### Index Entry



### Instruction

Type of change to be made. For example:

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL2:Gangrene, gangrenous:with diabetes:and peripheral angiopathy:and foot ulcer	Term	Add		- - - and foot ulcer

indicates a term to be added at:  
**Gangrene**  
- with diabetes  
- - and peripheral angiopathy  
- - - and foot ulcer

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL4:Revision:device:port, implantable vascular access	Term	Delete*	- - port, implantable vascular access	

indicates a term to be deleted at:  
**Revision**  
- device  
~~- - port, implantable vascular access~~

\*A 'Delete' instruction followed by an asterisk (\*) indicates that there are subterms to be deleted as a result of this deletion. In the example given above, subterms and notes to be consequently deleted are:

~~- - - for infusion of agents via catheter~~  
~~- - - central venous (CVC) 34530-00 [766]~~  
~~- - - spinal 39126-00 [56]~~  
~~- - - venous 34530-00 [766]~~

It should be assumed that if a Tabular 'Code' or an Index 'Term' is deleted, all its accompanying notes ('Code Description', 'Include', 'Exclude', 'NEM', 'Code', 'Block', 'See Also', etc) need to be deleted.

### Existing Value

The text of the entry before the errata change. For an 'Add' instruction, this field will be blank.

### New Value

The text of the entry after the errata change. For a 'Delete' instruction, this field will be blank.



Code or term to which the change applies

Part of the code/term to which the change applies

Type of change to be made

Text before making the change

Text after making the change

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL1:R02	Excludes	Revise	gangrene in:• diabetes mellitus (E1-.52)	gangrene in:• diabetes mellitus (E1-.52, <u>E1-.69</u> , <u>E1-.73</u> )
VOL1:Z06	Note	Revise	This category is intended for use as an additional code for infectious conditions classified elsewhere to indicate the presence of drug-resistance or the infectious organism.	This category is intended for use as an additional code for infectious conditions classified elsewhere to indicate the presence of drug-resistance <u>of</u> the infectious organism.
VOL2:Arthrokatadysis	Code	Revise	M24.75	M24.7
VOL2:Burn:epiglottis	Code	Revise	T27.4	T27.2
VOL2:Corrosion:multiple body regions	Code	Revise	T29.4	T29.0
VOL2:Disease, diseased:artery:coronary	Code	Revise	I25.1	I25.1-
VOL2:Disorder:Briquet's	Code	Revise	F48.8	F45.0
VOL2:Gangrene, gangrenous:with diabetes:and peripheral angiopathy:and foot ulcer	Term	Add		- - - and foot ulcer
VOL2:Gangrene, gangrenous:with diabetes:and peripheral angiopathy:and foot ulcer	Code	Add		E1-.73
VOL2:Infection,infected:mycotic:resulting from HIV disease	Code	Revise	B20.5	B20
VOL2:Infection,infected:parasitic:resulting from HIV disease	Code	Revise	B20.8	B20
VOL2:Injury:superficial:skin:specified type	Code	Revise	S14.08	T14.08
VOL2:Injury:superficial:subcutaneous:specified type	Code	Revise	S14.08	T14.08
VOL2:Lymphoma	NEM	Delete	(non-Hodgkin's) (this also needs to be deleted in 'Continued' notes)	
VOL2:Otto's disease or pelvis	Code	Revise	M24.75	M24.7
VOL2:Saber, sabre tibia	Code	Add		M90.2*
VOL2:Saint:Vitus' dance	See Also	Delete	(see also Hernia, diaphragm)	
VOL2:Saint:Vitus' dance	See	Revise	— see Chorea, Sydenham's <del>Saint's triad</del>	— see Chorea, Sydenham's triad
VOL2:Saint:Vitus' dance	Code	Delete	K44.9	
VOL2:Saint's triad	Term	Add		Saint's triad
VOL2:Saint's triad	See Also	Add		(see also Hernia, diaphragm)
VOL2:Saint's triad	Code	Add		K44.9
VOL2:Stafne's cyst or cavity	Code	Delete	R26.0	
VOL2:Stafne's cyst or cavity:hysterical	Term	Delete	- hysterical	
VOL2:Staggering gait	Term	Add		Staggering gait
VOL2:Staggering gait	Code	Add		R26.0
VOL2:Staggering gait:hysterical	Term	Add		- hysterical
VOL2:Staggering gait:hysterical	Code	Add		F44.4
VOL2:Syndrome:Briquet's	Code	Revise	F48.8	F45.0
VOL2:Syndrome:Menkes':meaning maple-syrup-urine disease	Code	Revise	E17.0	E71.0
VOL3:1885:92181-00	Standard	Revise	1615	0214
VOL3:1980:58700-00	Exclude	Revise	contrast:• pyelography (58706, <del>58709</del> [1978], 58715-01 [1979], 58715-00 [1980])	contrast:• pyelography (58706 [1978], 58715-01 [1979], 58715-00 [1980])
VOL4:Attachment:appliance:orthodontic:passive cast alloy	Term	Delete	- - - passive cast alloy	
VOL4:Division:adhesions:fallopian tube:communicating with other abdominal or pelvic cavity organs	Code	Revise	30392-00	30393-00
VOL4:Division:nerve:cranial	Block	Revise	74	73
VOL4:Evacuation:cyst:oral cavity, dental procedure	NEM	Delete	(non incisional)	
VOL4:Evacuation:cyst:oral cavity, dental procedure	Code	Revise	97389-00	97392-00

VOL4:Evacuation:cyst:oral cavity, dental procedure:by incision	Term	Delete	- - - by incision	
VOL4:Examination:post nasal space	NEM	Delete	(under general anaesthesia)	
VOL4:Examination:post nasal space	NEM	Delete	(with biopsy)	
VOL4:Examination:post nasal space	Code	Delete	41653-00	
VOL4:Examination:post nasal space	Block	Delete	370	
VOL4:Examination:post nasal space	See	Add		— see Examination, nasal cavity
VOL4:Examination:post nasal space:without general anaesthesia	Term	Delete	- - without general anaesthesia	
VOL4:Examination:post nasal space:fibreoptic	Term	Delete	- - fibreoptic	
VOL4:Insertion:device:infusion, implantable:central vein:percutaneous	Term	Add 1 dash	- - - percutaneous	- - - - percutaneous
VOL4:Neurotomy:cranial	Block	Revise	74	73
VOL4:Procedure:Carlson-Jampolsky procedure	Term	Revise	- Carlson-Jampolsky procedure	- Carlson-Jampolsky
VOL4:Procedure:Carlson-Jampolsky	Code	Revise	42484-00	42848-00
VOL4:Procedure:pollicisation	Term	Delete	- pollicisation	
VOL4:Radiography	Code	Revise	60700-00	90909-00
VOL4:Relocation:skin pocket, for:automatic defibrillator	Code	Delete	90207-00	
VOL4:Relocation:skin pocket, for:automatic defibrillator	Block	Delete	663	
VOL4:Removal:prosthesis, prosthetic device:specified prosthesis	Term	Delete	- - specified prosthesis	
VOL4:Repair:bone:facial	Code	Revise	90684-00	90681-00
VOL4:Repair:bone:facial	Block	Revise	1717	1712
VOL4:Repair:facial:bone	Code	Revise	90684-00	90681-00
VOL4:Repair:facial:bone	Block	Revise	1717	1712
VOL4:Replacement:device:infusion, implantable:central vein	Term	Delete 1 dash	- - - - central vein	- - - central vein
VOL4:Replacement:device:infusion, implantable:spinal	Term	Delete 1 dash	- - - - spinal	- - - spinal
VOL4:Revision:device:port, implantable vascular access	Term	Delete*	- - port, implantable vascular access	
VOL4:Revision:device:vascular access	Term	Delete	- - vascular access	
VOL4:Revision:port, implantable vascular access	Term	Delete*	- port, implantable vascular access	
VOL4:Revision:reservoir:subcutaneous	Term	Delete*	- - subcutaneous	
VOL4:Revision:vascular access device	Term	Delete*	- vascular access device	
VOL4:Ultrasound	Code	Revise	55056-00	90908-00
VOL4:Ultrasound:intrathoracic	Term	Delete	- intrathoracic	
VOL4:Ultrasound:specified site	Code	Revise	55056-00	90908-00

## VOLUME 5 AUSTRALIAN CODING STANDARDS

### EN DASHES REMOVED

Please note that during the printing process for Volume 5, the en dashes (–) were accidentally removed. Wherever you find an instance of a missing en dash, please amend your books. For example: In ACS 1518 (p187), en dashes are used to distinguish the completed weeks and to specify a code range:

O09.2 14–19 completed weeks  
Abortion (O00–O07 Pregnancy with abortive outcome)

### HOW TO USE THIS DOCUMENT

#### Code index

This index is provided to allow clinical coders to find particular code(s) within the standards. It includes a listing of all ICD-10-AM codes included in the Australian Coding Standards, excluding codes which are used as examples and are not pertinent to the content of the particular standard.

### 0043 FLAPS AND FREE FLAPS

#### EXAMPLE 2

45608-03 [1713] Total reconstruction of mandible  
45562-00 [1674] Non-innervated free flap

An additional code for microsurgical anastomosis of blood vessels (45502 [1695]) would also be assigned, if applicable

p73

Revise

p83

Delete

p152

Add legend to figure

### 0246 FAMILIAL ADENOMATOUS POLYPOSIS

#### Classification

**Z80.0** Family history of malignant neoplasm of digestive organs

### 0401 DIABETES MELLITUS

**Note:** Treatment by insulin therapy does not determine the type of diabetes and is not evidence of insulin dependency.

#### CLASSIFICATION

For cases classified to E11, E13 and E14, where the patient is usually treated with insulin, assign 92183-00 [1885] Injection of insulin.

### 1008 CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

#### Key

- 1 Chronic bronchitis
- 2 Emphysema
- 3 Chronic bronchitis with obstruction = COPD
- 4 Emphysema with obstruction = COPD
- 5 Chronic bronchitis and emphysema with obstruction = COPD
- 6 Chronic bronchitis and asthma with obstruction = COPD
- 7 Emphysema and asthma with obstruction = COPD
- 8 Chronic bronchitis, emphysema and asthma with obstruction = COPD
- 9 Asthma
- 10 Airflow obstruction
- 11 Chronic bronchitis and emphysema

pxx

Delete

p44

Revise



## Instructions

The second edition of ICD-10-AM has been produced by the National Centre for Classification in Health from a database in an effort to improve accuracy and consistency. Consequently, errata for Volumes 1–4 is produced from the same database which has resulted in the change of format shown below. Each row in the errata represents an item/change to be made and contains the following information necessary to complete the errata item.


**Tabular/Index Entry** The Tabular Entry (volume:block:code) or Index Entry (volume:main term:subterm) to which the errata item applies.

For example:


VOL1:R02	Volume 1, Code R02
VOL3:1885:92181-00	Volume 3, Block 1885, Code 92181-00
VOL4:Revision:device:port, implantable vascular access	Volume 4, Revision - device - - port, implantable vascular access

**Note Type** The part of the Tabular or Index Entry to which the errata item applies. To use this errata, it is important to think of a Tabular Entry and an Index Entry as being composed of separate elements as shown in the examples below.

### Tabular Entry



### Index Entry



**Instruction** Type of change to be made. For example:

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL2:Gangrene, gangrenous:with diabetes:and peripheral angiopathy:and foot ulcer	Term	Add		- - - and foot ulcer

indicates a term to be added at:  
**Gangrene**  
 - with diabetes  
 - - and peripheral angiopathy  
 - - - and foot ulcer

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL4:Revision:device:port, implantable vascular access	Term	Delete*	- - port, implantable vascular access	

indicates a term to be deleted at:  
**Revision**  
 - device  
 - - port, implantable vascular access

\*A 'Delete' instruction followed by an asterisk (\*) indicates that there are subterms to be deleted as a result of this deletion. In the example given above, subterms and notes to be consequently deleted are:

- - - for infusion of agents via catheter  
 - - - - central venous (CVC) 34530-00 [766]  
 - - - - spinal 39126-00 [56]  
 - - - - venous 34530-00 [766]

It should be assumed that if a Tabular 'Code' or an Index 'Term' is deleted, all its accompanying notes ('Code Description', 'Include', 'Exclude', 'NEM', 'Code', 'Block', 'See Also', etc) need to be deleted.

**Existing Value** The text of the entry before the errata change. For an 'Add' instruction, this field will be blank.

**New Value** The text of the entry after the errata change. For a 'Delete' instruction, this field will be blank.



Code or term to which the change applies

Part of the code/term to which the change applies

Type of change to be made

Text before making the change

Text after making the change

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL1:Z53	Standard	Revise	2110	0011
VOL2:Abscess:toe:nail	Code	Revise	L03.0	L03.02
VOL2:Ameloblastoma:malignant:jaw:upper	Code	Revise	C41.0	C41.02
VOL2:Bite(s):spider:nonvenomous	Code	Revise	T14.0	T14.08
VOL2:Burn:unspecified site with extent of body surface involved specified:< 10 per cent	Code	Revise	T31.0	T31.00
VOL2:Caries:knee	Code	Revise	M01.1*	M01.16*
VOL2:Catscratch	Code	Revise	T14.0	T14.08
VOL2:Collapse:neurocirculatory	Code	Revise	F45.3	F45.39
VOL2:Complications:vascular:following:procedure, specified	Term	Delete	- - - procedure, specified	
VOL2:Deformity:hand	Code	Revise	M21.9	M21.94
VOL2:Diarrhoea, diarrhoeal:nervous	Code	Revise	F45.3	F45.33
VOL2:Dislocation:ankle:navicular bone	Code	Revise	S93.3	S93.38
VOL2:Disorder:ear:postprocedural:specified	Term	Add		- - - specified NEC
VOL2:Disorder:ear:postprocedural:specified	Code	Add		H95.8
VOL2:Disorder:ear:specified	Code	Revise	H95.8	H93.8
VOL2:Disorder:eye:postprocedural:specified	Term	Add		- - - specified NEC
VOL2:Disorder:eye:postprocedural:specified	Code	Add		H59.8
VOL2:Disorder:eye:specified	Code	Revise	H59.8	H57.8
VOL2:Disorder:mastoid process:postprocedural:specified	Term	Add		- - - specified NEC
VOL2:Disorder:mastoid process:postprocedural:specified	Code	Add		H95.8
VOL2:Disorder:mastoid process:specified	Code	Revise	H95.8	H74.8
VOL2:Dysplasia:periapical:upper jaw	Code	Revise	D16.4	D16.42
VOL2:Embolism:postprocedural:pulmonary	Term	Add		- - pulmonary
VOL2:Embolism:postprocedural:pulmonary	Code	Add		I97.8
VOL2:Embolism:pulmonary:postprocedural	Code	Revise	I26.9	I97.8
VOL2:Fibrosarcoma:ameloblastic:upper jaw	Code	Revise	C41.0	C41.02
VOL2:Foreign body	Continued page 155 column 1	Revise	<b>Foreign body</b> - respiratory tract — <i>continued</i>	<b>Foreign body</b> - retained (in) (nonmagnetic) (old) — <i>continued</i>
VOL2:Fracture:femur, femoral:transcervical	Code	Revise	S72.0	S72.04
VOL2:Fracture:unciform	Code	Revise	S62.1	S62.17
VOL2:Hyperacidity	Code	Revise	K31.8	K31.88
VOL2:Hyperactive, hyperactivity:stomach	Code	Revise	K31.8	K31.88
VOL2:Infection, infected:due to or resulting from:device, implant or graft:specified	Code	Revise	T85.7	T85.78
VOL2:Infection, infected:nail	Code	Delete	L03.0	
VOL2:Infection, infected:staphylococcal:aureus	Term	Revise	- - aureus	- - aureus, as cause of disease classified elsewhere
VOL2:Inflammation, inflamed, inflammatory:due to device, implant or graft	Code	Revise	T85.7	T85.78
VOL2:Inflammation, inflamed, inflammatory:due to device, implant or graft:breast	Code	Revise	T85.7	T85.78
VOL2:Inflammation, inflamed, inflammatory:due to device, implant or graft:catheter	Code	Revise	T85.7	T85.78
VOL2:Inflammation, inflamed, inflammatory:due to device, implant or graft:catheter:dialysis:intraperitoneal	Code	Revise	T85.7	T85.78
VOL2:Inflammation, inflamed, inflammatory:due to device, implant or graft:catheter:infusion:spinal	Code	Revise	T85.7	T85.78
VOL2:Inflammation, inflamed, inflammatory:due to device, implant or graft:electronic:nervous system	Code	Revise	T85.7	T85.78
VOL2:Inflammation, inflamed, inflammatory:due to device, implant or graft:gastrointestinal	Code	Revise	T85.7	T85.78
VOL2:Inflammation, inflamed, inflammatory:due to device, implant or graft:ocular	Code	Revise	T85.7	T85.78
VOL2:Inflammation, inflamed, inflammatory:due to device, implant or graft:specified	Code	Revise	T85.7	T85.78
VOL2:Inflammation, inflamed, inflammatory:due to device, implant or graft:ventricular intracranial shunt	Code	Revise	T85.7	T85.78
VOL2:Injury:superficial:hand:specified	Code	Revise	S60.8	S60.88

VOL2:Injury:superficial:oesophagus	Code	Revise	S27.8	S27.83
VOL2:Iridaemia	Code	Revise	Q13.1	Q13.2
VOL2:Malpresentation, fetus:persistent occipitoposterior or transverse	Term	Revise	- persistent occipitoposterior or transverse	- persistent occipitoposterior
VOL2:Obstruction, obstructed, obstructive:stomach	Code	Revise	K31.8	K31.88
VOL2:Paraplegia	NEM	Delete	(chronic)	
VOL2:Perforation, perforated:pelvic:organ	Code	Revise	S37.8	S37.88
VOL2:Perleche:candidiasis	Code	Revise	B37.8	B37.88
VOL2:Perleche:moniliasis	Code	Revise	B37.8	B37.88
VOL2:Persistence, persistent:occipitoposterior or transverse	Term	Revise	- occipitoposterior or transverse	- occipitoposterior
VOL2:Phlebitis:during or resulting from a procedure	Code	Revise	T81.7	I97.8
VOL2:Phlebitis:postprocedural	Code	Revise	T81.7	I97.8
VOL2:Placenta, placental:marginal sinus	Term	Revise	- marginal sinus	- marginal
VOL2:Pneumopericardium:traumatic	Code	Revise	S26.8	S26.88
VOL2:Polyuria:psychogenic	Code	Revise	F45.3	F45.35
VOL2:Presentation, fetal:persistent occipitoposterior or transverse	Term	Revise	- persistent occipitoposterior or transverse	- persistent occipitoposterior
VOL2:Sclerosis, sclerotic:myocardium, myocardial	Code	Revise	I25.1	I25.1-
VOL2:Sepsis:due to device, implant or graft:ventricular intracranial shunt	Code	Revise	T85.7	T85.78
VOL2:Spasm(s), spastic, spasticity:stomach:neurotic	Code	Revise	F45.3	F45.32
VOL2:Stricture:artery:coronary	Code	Revise	I25.1	I25.1-
VOL2:Suppuration, suppurative	Continued page 366 column 2	Revise	<b>Suppuration, suppurative — continued</b>	<b>Surgery — continued</b>
VOL2:Surfer's knots or nodules	Code	Revise	T14.0	T14.08
VOL2:Syndrome:brain stem stroke	Term	Relocate	- brain - brain stem stroke - - acute or subacute	- brain - - psychotic - brain stem stroke
VOL2:Thrombophlebitis:during or resulting from a procedure	Code	Revise	T81.7	I97.8
VOL2:Thrombophlebitis:postprocedural	Code	Revise	T81.7	I97.8
VOL2:Tumour:Pindborg:upper jaw	Code	Revise	D16.4	D16.42
VOL2:Wound, open:oesophagus	Code	Revise	S27.8	S27.83
VOL2:Wound, open:shin	Code	Revise	S81.8	S81.88
VOL2EXT:Bayonet wound:in:war operations	Code	Revise	Y36.4	Y36.49
VOL3:207:42722-01	Exclude	Revise	that with:• removal of preretinal membrane (42725-00 [201])	that with:• removal of preretinal membrane (42725-00 [207])
VOL3:401:30281-00	Exclude	Revise	lingual fraenotomy (30278-00 [392])	lingual fraenotomy (30278-02 [390])
VOL3:452:97071-00	Exclude	Revise	that for:• prosthodontic services (see blocks [474], [475], [476], [477] and [478])	that for:• prosthodontic services (see blocks [474], [475], [476] and [477])
VOL3:462:97411-00	Code also when performed	Revise	• any restorative dental procedure (see blocks [465], [466], [467], [468] and [469])	• any restorative dental procedure (see blocks [465], [466], [468] and [469])
VOL3:738:13815-00	Exclude	Delete	replacement of venous catheter (34530-00 [766])	
VOL3:738:13815-01	Exclude	Delete	replacement of venous catheter (34530-00 [766])	
VOL3:1878:96141-00	Exclude	Add		retraining:
VOL3:1878:96141-00	Exclude	Add		• bladder (96158-00 [1904])
VOL3:1878:96141-00	Exclude	Add		• cardiac (96139-00 [1877])
VOL3:ANAESTHESIA	Exclude page 303	Revise	that for dental procedure (see blocks [487] and [488])	that for dental procedure (see block [487])
VOL3:Appendix A:MBS mapping table	MBS item	Add		<b>MBS item not included in MBS-E</b> 45505 45502
VOL4:Arthroscopy:knee:with:debridement:and:lateral release	Code	Revise	49561-01	49561-00
VOL4:Arthroscopy:knee:with:debridement:and:lateral release	Block	Revise	1517	1514
VOL4:Colonoscopy:to hepatic flexure	NEM	Delete	(to ascending colon)	
VOL4:Colpopexy:with repair of enterocele	Block	Revise	1109	1285
VOL4:Colposuspension:with repair of enterocele	Block	Revise	1109	1285
VOL4:Cystopexy	Code	Revise	36531-00	37004-02
VOL4:Cystopexy	Block	Revise	1053	1107
VOL4:Disarticulation	Term	Add		- wrist
VOL4:Disarticulation	Code	Add		44328-02
VOL4:Disarticulation	Block	Add		1448

VOL4:Discectomy	Term	Delete	- wrist	
VOL4:Excision:cyst:Morgagni:female	Block	Revise	1235	1299
VOL4:Excision:cyst:Morgagni:female:via laparotomy	Block	Revise	1235	1299
VOL4:Excision:lesion:intra-abdominal:female:via laparoscopy	Block	Revise	1235	1299
VOL4:Implant, implantation:dental	Term	Delete	- dental	
VOL4:Insertion:pump:infusion, implantable:vascular	Block	Revise	738	766
VOL4:Insertion:pump:infusion, implantable:vascular:percutaneous	Block	Revise	738	766
VOL4:Irrigation:bladder	Block	Revise	1875	1862
VOL4:Laminectomy:with:removal of:lesion, spinal	See	Revise	— see Removal, lesion, spinal	— see Excision, lesion, spinal cord
VOL4:Laminectomy:with:removal of:tumour, spinal	See	Revise	— see Removal, tumour, spinal	— see Excision, tumour, spinal cord
VOL4:Marsupialisation:cyst:spine	See	Revise	— see Removal, lesion, spinal	— see Excision, lesion, spinal cord
VOL4:Removal:drain:mediastinal	Block	Revise	1910	1908
VOL4:Removal:drain:pleural cavity	Block	Revise	1910	1908
VOL4:Removal:tube:thoracotomy	Block	Revise	1910	1908
VOL4:Resection:tumour:nerve:cranial:acoustic	See	Revise	— see Removal, tumour, nerve, acoustic	— see Resection, tumour, nerve, acoustic
VOL4:Telemetry	Block	Revise	1858	1857
VOL4:Traction:femoral:with fracture	Code	Revise	47516-01	47516-00
VOL4:Traction:femoral:with fracture	Block	Revise	1486	1476
VOL4:Traction:fracture:femur	Code	Revise	47516-01	47516-00
VOL4:Traction:fracture:femur	Block	Revise	1486	1476

## VOLUME 5 AUSTRALIAN CODING STANDARDS

<i>p31</i>	<b>0022 EXAMINATION UNDER ANAESTHESIA</b>
<i>Add</i>	<b>Example 1:</b> Examination under anaesthesia (EUA) of cervix using <u>intravenous</u> general anaesthesia.
<i>Add</i>	<b>Example 2:</b> Examination under anaesthesia (EUA) of cerebral meninges using <u>intravenous</u> general anaesthesia.
<i>p202</i>	<b>1615 SPECIFIC INTERVENTIONS FOR THE SICK NEONATE</b>
<i>Delete</i>	<b>Transfusions</b> The above codes should be assigned when performed for the neonate, <del>but not if performed as part of resuscitation at birth.</del>



## Instructions


The second edition of ICD-10-AM has been produced by the National Centre for Classification in Health from a database in an effort to improve accuracy and consistency. Consequently, errata for Volumes 1–4 is produced from the same database which has resulted in the change of format shown below. Each row in the errata represents an item/change to be made and contains the following information necessary to complete the errata item.

**Tabular/Index Entry** The Tabular Entry (volume:block:code) or Index Entry (volume:main term:subterm) to which the errata item applies. For example:


VOL1:R02	Volume 1, Code R02
VOL3:1885:92181-00	Volume 3, Block 1885, Code 92181-00
VOL4:Revision:device:port, implantable vascular access	Volume 4, Revision - device - - port, implantable vascular access

**Note Type** The part of the Tabular or Index Entry to which the errata item applies. To use this errata, it is important to think of a Tabular Entry and an Index Entry as being composed of separate elements as shown in the examples below.

### Tabular Entry



### Index Entry



**Instruction** Type of change to be made. For example:

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL2:Gangrene, gangrenous:with diabetes:and peripheral angiopathy:and foot ulcer	Term	Add		- - - and foot ulcer

indicates a term to be added at:  
**Gangrene**  
 - with diabetes  
 - - and peripheral angiopathy  
 - - - and foot ulcer

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL4:Revision:device:port, implantable vascular access	Term	Delete*	- - port, implantable vascular access	

indicates a term to be deleted at:  
**Revision**  
 - device  
 - - port, implantable vascular access

\*A 'Delete' instruction followed by an asterisk (\*) indicates that there are subterms to be deleted as a result of this deletion. In the example given above, subterms and notes to be consequently deleted are:

- - - for infusion of agents via catheter  
 - - - central venous (CVC) 34530-00 [766]  
 - - - spinal 39126-00 [56]  
 - - - venous 34530-00 [766]

It should be assumed that if a Tabular 'Code' or an Index 'Term' is deleted, all its accompanying notes ('Code Description', 'Include', 'Exclude', 'NEM', 'Code', 'Block', 'See Also', etc) need to be deleted.

**Existing Value** The text of the entry before the errata change. For an 'Add' instruction, this field will be blank.

**New Value** The text of the entry after the errata change. For a 'Delete' instruction, this field will be blank.





Code or term to which the change applies

Part of the code/term to which the change applies

Type of change to be made

Text before making the change

Text after making the change

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL1:O24.4	Include	Delete	Gestational diabetes mellitus NOS	
VOL2:Admission:adjustment:device:cardiac: defibrillator, automatic implantable	Code	Revise	Z45.8	Z45.0
VOL2:Complications:postprocedural:anorectal dysfunction	Term	Delete	-- anorectal dysfunction	
VOL2:Complications:urethral catheter	Code	Revise	T83.9-	T83.9
VOL2:Complications:vaccination	Dash	Add	vaccination	_ vaccination
VOL2:Contusion:neck	Code	Revise	S10.9	S10.95
VOL2:Contusion:supraclavicular fossa	Code	Revise	S10.8	S10.85
VOL2:Deafness:central:postprocedural	Term	Delete	-- postprocedural	
VOL2:Diabetes, diabetic:complicating pregnancy, childbirth or puerperium:gestational	Code	Revise	O24.4	O24.4-
VOL2:Inflammation, inflamed, inflammatory:due to device, implant or graft:catheter:dialysis: intraperitoneal	Code	Revise	T85.78	T85.71
VOL2:Papule(s):fibrous, of nose	Term	Revise	- fibrous, of nose	- fibrous, of face
VOL2:Papule(s):fibrous, of face	Term	Add		NEC
VOL2:PIN (prosthetic intraepithelial neoplasia)	Term	Revise	PIN (prosthetic intraepithelial neoplasia)	PIN (prostatic intraepithelial neoplasia)
VOL2:Pregnancy:complicated by:diabetes	Code	Revise	O24.9	O24.-
VOL2:Proteinaemia:with diabetes	Term	Delete	- with diabetes	
VOL2:Radiation	Code	Delete	W91	
VOL2:Radiation:ionising	Term	Delete	- ionising	
VOL2:Radiation:natural	Term	Delete	- natural	
VOL2:Radiation:nonionising	Term	Delete	- nonionising	
VOL2EXT:Activity:squash	Code	Revise	Y93.03	Y93.04
VOL2EXT:Radiation:nonionising	Term	Add		- nonionising
VOL2EXT:Radiation:nonionising	Code	Add		W90
VOL4:Exploration:calcified tooth root, for canal [464]	Term	Revise	- calcified tooth root, for canal [464]	- calcified tooth root, for canal
VOL4:Exploration:tooth root, calcified, for canal	Code	Add		97445-00
VOL4:Exploration:tooth root, calcified, for canal	Block	Add		464
VOL4:Facings	See	Delete	— see Veneer	
VOL4:Facings:bonded	Term	Add		- bonded
VOL4:Facings:bonded	NEM	Add		(direct)
VOL4:Facings:bonded	Code	Add		97582-01
VOL4:Facings:bonded	Block	Add		469
VOL4:Facings:bonded:indirect	Term	Add		-- indirect
VOL4:Facings:bonded:indirect	Code	Add		97583-01
VOL4:Facings:bonded:indirect	Block	Add		469
VOL4:Facings:recementing	Term	Add		- recementing
VOL4:Facings:recementing	Code	Add		97651-00
VOL4:Facings:recementing	Block	Add		472
VOL4:Insertion:catheter:vein:intra-abdominal	Block	Revise	766	738
VOL4:Insertion:vascular access device	Term	Delete*	- vascular access device	
VOL4:Resection:tumour:soft tissue:malignant, en bloc resection:scapula	Code	Revise	50224-03	50221-03
VOL4:Veneer	Term	Add		Veneer
VOL4:Veneer	See	Add		— see Facings

## VOLUME 5 AUSTRALIAN CODING STANDARDS

p7	<b>0008</b>	<b>SEQUELAE</b>
	<b>Example 1:</b>	
	Blindness due to previous trachoma	
Revise	Code:	H54.0 <i>Blindness, both eyes</i>
		B94.0 <i>Sequelae of trachoma</i>

**Instructions**

The second edition of ICD-10-AM has been produced by the National Centre for Classification in Health from a database in an effort to improve accuracy and consistency. Consequently, errata for Volumes 1-4 is produced from the same database which has resulted in the change of format shown below. Each row in the errata represents an item/change to be made and contains the following information necessary to complete the errata item.

**Tabular/Index Entry** The Tabular Entry (volume:block:code) or Index Entry (volume:main term:subterm) to which the errata item applies. For example:


VOL1:R02	Volume 1, Code R02
VOL3:1885:92181-00	Volume 3, Block 1885, Code 92181-00
VOL4:Revision:device:port, implantable vascular access	Volume 4, Revision - device - - port, implantable vascular access

✕ Where this symbol follows a Tabular/Index Entry you should check the change example on page 7.


**Note Type**

The part of the Tabular or Index Entry to which the errata item applies. To use this errata, it is important to think of a Tabular Entry and an Index Entry as being composed of separate elements as shown in the examples below.

**Tabular Entry**



**Index Entry**



**Instruction**

Type of change to be made. For example:

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL2:Gangrene, gangrenous:with diabetes:and peripheral angiopathy	Term	Add		- - - and foot ulcer

indicates a term to be added at:  
**Gangrene**  
 - with diabetes  
 - - and peripheral angiopathy  
 - - - and foot ulcer

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL4:Revision:device:port, implantable vascular access	Term	Delete*	- - port, implantable vascular access	

indicates a term to be deleted at:  
**Revision**  
 - device  
 - - port, implantable vascular access

\*A 'Delete' instruction followed by an asterisk (\*) indicates that there are subterms to be deleted as a result of this deletion. In the example given above, subterms and notes to be consequently deleted are:

- - - for infusion of agents via catheter  
 - - - central venous (CVC) 34530-00[766]  
 - - - epinal 30126-00[56]  
 - - - venous 34530-00[766]

It should be assumed that if a Tabular 'Code' or an Index 'Term' is deleted, all its accompanying notes ('Code Description', 'Include', 'Exclude', 'NEM', 'Code', 'Block', 'See Also', etc) need to be deleted.

**Existing Value**

The text of the entry before the errata change. For an 'Add' instruction, this field will be blank.

**New Value**

The text of the entry after the errata change. For a 'Delete' instruction, this field will be blank.



Code or term to which the change applies

Part of the code/term to which the change applies

Type of change to be made

Text before making the change

Text after making the change

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL1:F44.0	⊗	Exclude Revise	alcohol- or other psychoactive substance-induced amnesic disorder (F10–F19 with common fourth character .6) <del>amnesia:</del>	alcohol- or other psychoactive substance-induced amnesic disorder (F10–F19 with common fourth character .6)
VOL1:F44.0	⊗	Exclude Add		<u>amnesia:</u> <i>This is to be added on a line between .....character .6) and • anterograde (R41.1)</i>
VOL2:Amnes(t)ic syndrome	⊗	NEM Add		<u>(confabulatory)</u>
VOL2:Amnes(t)ic syndrome	⊗	NEM Add		<u>(due to)</u>
VOL2:Amnes(t)ic syndrome	⊗	Code Add		<u>F1–6</u>
VOL2:Amnes(t)ic syndrome:drug induced	⊗	See Revise	— <del>see F11–F19 with fourth character .6</del>	— <u>code to F11–F19 with fourth character .6</u>
VOL2:Amnes(t)ic syndrome	⊗	Term Add		- due to (secondary to) general medical condition
VOL2:Amnes(t)ic syndrome:due to (secondary to) general medical condition	⊗	Code Add		<u>F04.9</u>
VOL2:Amnes(t)ic syndrome	⊗	Term Add		- <u>organic</u>
VOL2:Amnes(t)ic syndrome:organic	⊗	Term Add		- - <u>alcohol-induced</u>
VOL2:Amnes(t)ic syndrome:organic:alcohol-induced	⊗	Code Add		<u>F10.6</u>
VOL2:Amnes(t)ic syndrome:organic	⊗	Term Add		- - <u>drug-induced</u>
VOL2:Amnes(t)ic syndrome:organic:drug-induced	⊗	Code to Add		— <u>code to F11–F19 with fourth character .6</u>
VOL2:Amnes(t)ic syndrome	⊗	Term Add		- <u>sedative, hypnotic or anxiolytic-induced</u>
VOL2:Amnes(t)ic syndrome:sedative, hypnotic or anxiolytic-induced	⊗	Code Add		<u>F13.6</u>
VOL2:Coxalgia, coxalgic		Code Revise	M25.5 <del>6</del>	M25.55
VOL2:Derangement:knee:specified		NEC Add		<u>NEC</u>
VOL2:Dislocation:tarsometatarsal		Code Revise	S93.34	S93.33
VOL2:Dislocation:toe(s):interphalangeal		Code Add		<u>S93.12</u>
VOL2:Disorder:amnesic, amnesic	⊗	See Add		— <u>see Amnes(t)ic syndrome</u>
VOL2:Disorder:amnesic, amnesic: alcohol-induced	⊗	Term Delete	— <del>alcohol-induced</del>	
VOL2:Disorder:amnesic, amnesic: drug-induced	⊗	Term Delete	— <del>drug-induced</del>	
VOL2:Disorder:amnesic, amnesic: due to (secondary to) general medical condition	⊗	Term Delete	— <del>due to (secondary to) general medical condition</del>	
VOL2:Disorder:amnesic, amnesic: sedative, hypnotic or anxiolytic-induced	⊗	Term Delete	— <del>sedative, hypnotic or anxiolytic-induced</del>	
VOL2:Disruption:ligament(s):knee:old		Term Add		- - - <u>laxity</u>
VOL2:Disruption:ligament(s):knee:old:laxity		Code Add		M23.8-
VOL2:Donor:lymphocyte		Code Revise	Z52.8	Z52.08
VOL2:Double:uterus:in pregnancy or childbirth:causing obstructed labour		Code Revise	O65.0	O65.5
VOL2:Pain(s):shoulder		NEC Add		<u>NEC</u>
VOL2:Syndrome:amnesic, amnesic	⊗	NEM Add		<u>(confabulatory)</u>
VOL2:Syndrome:amnesic, amnesic	⊗	NEM Add		<u>(due to)</u>
VOL2:Syndrome:amnesic, amnesic	⊗	Code Add		<u>F1–6</u>
VOL2: Syndrome:amnesic, amnesic	⊗	Term Add		- - due to (secondary to) general medical condition
VOL2: Syndrome:amnesic, amnesic:due to (secondary to) general medical condition	⊗	Code Add		<u>F04.9</u>
VOL2:Syndrome:amnesic, amnesic	⊗	Term Add		- - <u>post-traumatic</u>
VOL2:Syndrome:amnesic, amnesic:post-traumatic	⊗	Code Add		<u>F04.00</u>
VOL2:Syndrome:amnesic, amnesic:post-traumatic	⊗	Term Add		- - - <u>duration</u>
VOL2:Syndrome:amnesic, amnesic:post-traumatic:durations	⊗	Term Add		- - - - < 24 hours
VOL2:Syndrome:amnesic, amnesic:post-traumatic:duration:< 24 hours	⊗	Code Add		<u>F04.01</u>
VOL2:Syndrome:amnesic, amnesic:post-traumatic:duration	⊗	Term Add		- - - - <u>14 days</u>



Code or term to which the change applies

Part of the code/term to which the change applies

Type of change to be made

Text before making the change

Text after making the change

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL2:Syndrome:amnesic, amnesic:post-traumatic:duration:≥ 14 days	⊗	Code Add		<u>F04.03</u>
VOL2:Syndrome:amnesic, amnesic:post-traumatic:duration	⊗	Term Add		<u>- - - ≥ 24 hours and &lt; 14 days</u>
VOL2:Syndrome:amnesic, amnesic:post-traumatic:duration: ≥ 24 hours and < 14 days	⊗	Code Add		<u>F04.02</u>
VOL2: VOL2:Syndrome:amnesic, amnesic:sedative or hypnotic	⊗	Term Add	- - sedative or hypnotic	<u>- - sedative_ hypnotic or anxiolytic-induced</u>
VOL2:DRUG:Analgesic:non-narcotic:nonopioid		Term Delete dash	- - nonopioid	- nonopioid
VOL2:DRUG:Anti-inflammatory drug:local	NEC	Delete	<del>NEC</del>	
VOL2:DRUG:Antigonadotrophins	Term	Revise	Antigonadotrophine	Antigonadotrophin
VOL2:DRUG:Antigonadotrophin	NEC	Add		<u>NEC</u>
VOL2:DRUG:Antipsychotic drug:phenothiazine	Code	Revise	T43.6	<u>T43.3</u>
VOL2:DRUG:Glycopyrronium:glycoside, cardiac-stimulant	Term	Delete dash	- glycoside, cardiac-stimulant	glycoside, cardiac-stimulant
VOL2:DRUG:Glycoside, cardiac-stimulant	Term	Revise	glycoside, cardiac-stimulant	<u>Glycoside, cardiac-stimulant</u>
VOL2:DRUG:Neuroleptic drug:butyrophenone	Term	Revise	- butyrophenone	<u>- butyrophenone</u>
VOL3:1108 Procedures for male stress incontinence	Excludes	Revise	that for female stress incontinence ( <del>37044-04</del> [1109])	that for female stress incontinence ( <u>see block</u> [1109])
VOL3:1624 Excision of residual or recurrent basal cell or squamous cell carcinoma of skin	Term	Revise	Excision of residual or recurrent <del>basal cell or squamous cell carcinoma of skin</del>	Excision of residual or recurrent <u>malignant lesion of skin or subcutaneous tissue</u>
VOL3:1628:90665-00	Term	Revise	Excision debridement of skin and subcutaneous tissue	<u>Excisional</u> debridement of skin and subcutaneous tissue
VOL4:Administration:gamma globulin:transfusion	Block	Revise	1864	<u>1893</u>
VOL4:Application:formalin, to anorectal region	Block	Revise	920	<u>928</u>
VOL4:Assistance:accompanying or transportation of client	Block	Revise	1914	<u>1915</u>
VOL4:Audiometry:conduction:air	⊗	NEM Add		<u>(standard technique)</u>
VOL4:Audiometry:conduction:air	⊗	Term Add		<u>- - - with use of visual reinforcement</u>
VOL4:Audiometry:conduction:air:with use of visual reinforcement	⊗	Code Add		<u>11309-01</u>
VOL4:Audiometry:conduction:air:with use of visual reinforcement	⊗	Block Add		<u>1836</u>
VOL4:Audiometry:conduction:air:and:bone	⊗	NEM Add		<u>(standard technique)</u>
VOL4:Audiometry:conduction:air:and:bone	⊗	Term Add		<u>- - - - with use of visual reinforcement</u>
VOL4:Audiometry:conduction:air:and:bone:with use of visual reinforcement	⊗	Code Add		<u>11312-02</u>
VOL4:Audiometry:conduction:air:and:bone:with use of visual reinforcement	⊗	Block Add		<u>1836</u>
VOL4:Audiometry:conduction:bone and air	⊗	Term Delete	<del>bone and air</del>	
VOL4:CNP (continuous negative pressure ventilation)	Block	Revise	<del>4849</del>	<u>568</u>
VOL4:CNPB (continuous negative pressure breathing)	Block	Revise	<del>4849</del>	<u>568</u>
VOL4:Drainage:abscess:retroperitoneal:percutaneous	Block	Revise	<del>987</del>	<u>1559</u>
VOL4:Drainage:cyst:liver:hydatid:percutaneous	Term	Delete one dash	- - - - percutaneous	- - - percutaneous
VOL4:Electrocorticography	Block	Revise	1820	<u>1825</u>
VOL4:Electroencephalography (EEG):>= 3 hours duration:cortex:temporosphenoidal	Term	Delete one dash	- - - temporosphenoidal	- - temporosphenoidal
VOL4:Electroencephalography (EEG)	Term	Add		<u>- cortex</u>
VOL4:Electroencephalography (EEG):cortex	Code	Add		<u>11009-00</u>
VOL4:Electroencephalography (EEG):cortex	Block	Add		<u>1825</u>
VOL4:EOG (electro-oculography)	Block	Revise	1836	<u>1835</u>
VOL4:Excision:exostosis:small bone	Block	Revise	<del>1536</del>	<u>1563</u>
VOL4:Excision:lesion:skin:malignant:squamous cell carcinoma:finger:and hand:recurrent or residual	Block	Revise	1623	<u>1624</u>
VOL4:Excision:ovary:with excision of fallopian tube	⊗	See also Revise	- see also <del>Salpingo oophorectomy</del>	- see <u>block</u> [1252]



Code or term to which the change applies

Part of the code/term to which the change applies

Type of change to be made

Text before making the change

Text after making the change

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL4:Excision:ovary	⊗	Term Add		<u>- - bilateral</u>
VOL4:Excision:ovary:bilateral	⊗	NEM Add		<u>(laparoscopic)</u>
VOL4:Excision:ovary:bilateral	⊗	NEM Add		<u>(total)</u>
VOL4:Excision:ovary:bilateral	⊗	Code Add		<u>35638-03</u>
VOL4:Excision:ovary:bilateral	⊗	Block Add		<u>1243</u>
VOL4:Excision:ovary:bilateral	⊗	Term Add		<u>- - - via laparotomy</u>
VOL4:Excision:ovary:bilateral:via laparotomy	⊗	Code Add		<u>35717-01</u>
VOL4:Excision:ovary:bilateral:via laparotomy	⊗	Block Add		<u>1243</u>
VOL4:Excision:ovary:total	⊗	Term Delete*	<del>— total</del>	
VOL4:Excision:ovary	⊗	Term Add		<u>- - unilateral</u>
VOL4:Excision:ovary:unilateral	⊗	NEM Add		<u>(laparoscopic)</u>
VOL4:Excision:ovary:unilateral	⊗	NEM Add		<u>(total)</u>
VOL4:Excision:ovary:unilateral	⊗	Code Add		<u>35638-02</u>
VOL4:Excision:ovary:unilateral	⊗	Block Add		<u>1243</u>
VOL4:Excision:ovary:unilateral	⊗	Term Add		<u>- - - via laparotomy</u>
VOL4:Excision:ovary:unilateral:via laparotomy	⊗	Code Add		<u>35713-07</u>
VOL4:Excision:ovary:unilateral:via laparotomy	⊗	Block Add		<u>1243</u>
VOL4:Fertilisation, In vitro (IVF)	⊗	Term Add		<u>Fertilisation, In vitro (IVF)</u>
VOL4:Fertilisation, In vitro (IVF)	⊗	Code add		<u>13215-03</u>
VOL4:Fertilisation, In vitro (IVF)	⊗	Block Add		<u>1297</u>
VOL4:Fertilisation, In vitro (IVF)	⊗	Term Add		<u>- retrieval oocyte</u>
VOL4:Fertilisation, In vitro (IVF):retrieval oocyte	⊗	NEM Add		<u>(transvaginal)</u>
VOL4:Fertilisation, In vitro (IVF):retrieval oocyte	⊗	Code Add		<u>13212-00</u>
VOL4:Fertilisation, In vitro (IVF):retrieval oocyte	⊗	Block Add		<u>1297</u>
VOL4:Fertilisation, In vitro (IVF):retrieval oocyte	⊗	Term Add		<u>- - transabdominal</u>
VOL4:Fertilisation, In vitro (IVF):retrieval oocyte:transabdominal	⊗	Code Add		<u>13212-01</u>
VOL4:Fertilisation, In vitro (IVF):retrieval oocyte:transabdominal	⊗	Block Add		<u>1297</u>
VOL4:Fertilisation, In vitro (IVF)	⊗	Term Add		<u>- transfer</u>
VOL4:Fertilisation, In vitro (IVF):transfer	⊗	NEM Add		<u>(of)</u>
VOL4:Fertilisation, In vitro (IVF):transfer	⊗	Term Add		<u>- - embryo</u>
VOL4:Fertilisation, In vitro (IVF):transfer:embryo	⊗	NEM Add		<u>(to)</u>
VOL4:Fertilisation, In vitro (IVF):transfer:embryo	⊗	NEM Add		<u>(uterus)</u>
VOL4:Fertilisation, In vitro (IVF):transfer:embryo	⊗	Code Add		<u>13215-01</u>
VOL4:Fertilisation, In vitro (IVF):transfer:embryo	⊗	Block Add		<u>1297</u>
VOL4:Fertilisation, In vitro (IVF):transfer:embryo	⊗	Term Add		<u>- - - fallopian tube</u>
VOL4:Fertilisation, In vitro (IVF):transfer:embryo:fallopian tube	⊗	NEM Add		<u>(TEST)</u>
VOL4:Fertilisation, In vitro (IVF):transfer:embryo:fallopian tube	⊗	Code Add		<u>13215-02</u>
VOL4:Fertilisation, In vitro (IVF):transfer:embryo:fallopian tube	⊗	Block Add		<u>1297</u>
VOL4:Fertilisation, In vitro (IVF):transfer	⊗	Term Add		<u>- - gamete intrafallopian</u>
VOL4:Fertilisation, In vitro (IVF):transfer:gamete intrafallopian	⊗	NEM Add		<u>(GIFT)</u>
VOL4:Fertilisation, In vitro (IVF):transfer:gamete intrafallopian	⊗	Code Add		<u>13215-00</u>
VOL4:Fertilisation, In vitro (IVF):transfer:gamete intrafallopian	⊗	Block Add		<u>1297</u>
VOL4:Fertilisation, In vitro (IVF):transfer	⊗	Term Add		<u>- - oocyte with sperm</u>
VOL4:Fertilisation, In vitro (IVF):transfer:oocyte with sperm	⊗	NEM Add		<u>(fallopian tube)</u>
VOL4:Fertilisation, In vitro (IVF):transfer:oocyte with sperm	⊗	Code Add		<u>13215-00</u>



Code or term to which the change applies

Part of the code/term to which the change applies

Type of change to be made

Text before making the change

Text after making the change

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL4:Fertilisation, In vitro (IVF):transfer:ovocyte with sperm	⌘	Block Add		<u>1297</u>
VOL4:Fertilisation, In vitro (IVF):transfer	⌘	Term Add		- - <u>zygote intrafallopian</u>
VOL4:Fertilisation, In vitro (IVF):transfer:zygote intrafallopian	⌘	NEM Add		<u>(ZIFT)</u>
VOL4:Fertilisation, In vitro (IVF):transfer:zygote intrafallopian	⌘	Code Add		<u>13215-02</u>
VOL4:Fertilisation, In vitro (IVF):transfer:zygote intrafallopian	⌘	Block Add		<u>1297</u>
VOL4:Fluoroscopy:with:angiography, using mobile image intensifier:by digital subtraction technique	Block	Revise	1990	199 <u>8</u>
VOL4:ileoscopy:with:diathermy	Block	Revise	1008	100 <u>7</u>
VOL4:In vitro fertilisation procedures (IVF)	Term	Revise	In vitro fertilisation <del>procedures</del> (IVF)	In vitro fertilisation (IVF)
VOL4:In vitro fertilisation (IVF)	See	Add		<u>— see Fertilisation, In vitro (IVF)</u>
VOL4:In vitro fertilisation (IVF):retrieval ovocyte	Term	Delete*	<del>— retrieval ovocyte</del>	
VOL4:In vitro fertilisation (IVF):transfer	Term	Delete*	<del>— transfer</del>	
VOL4:Injection:urethra:for treatment of urinary incontinence:male	Block	Revise	1109	110 <u>8</u>
VOL4:Intubation:feeding:gastric	Block	Revise	1892	188 <u>5</u>
VOL4:Intubation:feeding:nasogastric	Block	Revise	1892	188 <u>5</u>
VOL4:IVF	See	Revise	— see <del>In vitro fertilisation procedures</del>	— see <u>Fertilisation, In vitro (IVF)</u>
VOL4:Lobectomy:lung:partial:wedge:endoscopic	Code	Revise	<del>38440-04</del>	<u>90169-00</u>
VOL4:Measurement:airway resistance	Block	Revise	1847	184 <u>9</u>
VOL4:Measurement:transdiaphragmatic pressures for respiratory muscle strength	Block	Revise	1844	184 <u>7</u>
VOL4:Oophorectomy:with excision of fallopian tube	⌘	See also Revise	— see also <del>Salpingo-oophorectomy</del>	— see <u>block [1252]</u>
VOL4:Oophorectomy	⌘	Term Add		- <u>bilateral</u>
VOL4:Oophorectomy:bilateral	⌘	NEM Add		<u>(laparoscopic)</u>
VOL4:Oophorectomy:bilateral	⌘	NEM Add		<u>(total)</u>
VOL4:Oophorectomy:bilateral	⌘	Code Add		<u>35638-03</u>
VOL4:Oophorectomy:bilateral	⌘	Code Add		<u>1243</u>
VOL4:Oophorectomy:bilateral	⌘	Term Add		- - <u>via laparotomy</u>
VOL4:Oophorectomy:bilateral:via laparotomy	⌘	Code Add		<u>35717-01</u>
VOL4:Oophorectomy:bilateral:via laparotomy	⌘	Block Add		<u>1243</u>
VOL4:Oophorectomy	⌘	Term Add		- <u>unilateral</u>
VOL4:Oophorectomy:unilateral	⌘	NEM Add		<u>(laparoscopic)</u>
VOL4:Oophorectomy:unilateral	⌘	NEM Add		<u>(total)</u>
VOL4:Oophorectomy:unilateral	⌘	Code Add		<u>35638-02</u>
VOL4:Oophorectomy:unilateral	⌘	Block Add		<u>1243</u>
VOL4:Oophorectomy:unilateral	⌘	Term Add		- - <u>via laparotomy</u>
VOL4:Oophorectomy:unilateral:via laparotomy	⌘	Code Add		<u>35713-07</u>
VOL4:Oophorectomy:unilateral:via laparotomy	⌘	Block Add		<u>1243</u>
VOL4:Profilometry:urethral pressure:with:electromyography of urethral sphincter:with cystometry	Block	Revise	1864	186 <u>0</u>
VOL4:Programme, programming:rehabilitation:drug:with detoxification	Block	Revise	1876	187 <u>2</u>
VOL4:Provision:appliance:orthodontic:surgical implant guide	Code	Revise	97779-00	97 <u>6</u> 79-00
VOL4:Provision:appliance:orthodontic:surgical implant guide	Block	Revise	477	47 <u>3</u>
VOL4:Reduction:fracture:radius, radial:shaft:open:with:reduction of dislocation:with internal fixation	Code	Revise	47386-02	47386-0 <u>1</u>
VOL4:Reduction:fracture:ulna:shaft:open:with:reduction of dislocation	Code	Revise	47386-04	47386-0 <u>2</u>
VOL4:Removal:catheter:peritoneal:temporary:for peritoneal dialysis	Block	Revise	1062	106 <u>1</u>
VOL4:Removal:device:gastrointestinal tract	Block	Revise	1864	189 <u>6</u>
VOL4:Reoperation:vein:neck	Term	Revise	35202-00 [763] <del>Repair</del>	35202-00 [763]



Code or term to which the change applies

Part of the code/term to which the change applies

Type of change to be made

Text before making the change

Text after making the change

Tabular/Index Entry	Note Type	Instruction	Existing Value	New Value
VOL4:Repair:rectum:prolapse:by>manual reduction	Block	Revise	936	937
VOL4:Repair:rectum:prolapse:by:reduction of rectal mucosa>manual	Block	Revise	936	937
VOL4:Replacement:blood, complete	Block	Revise	1864	1893
VOL4:Resection:intestine:small:with:formation of:reservoir:intestinal	Block	Revise	989	897
VOL4:Resuscitation:cardiac:external massage	Block	Revise	1858	1890
VOL4:Salpingectomy:with Oophorectomy:	See also	Revise	— see also Salpinge-oophorectomy-	— see block [1252]
VOL4:Salpingo-Oophorectomy:	See	Add		— see block [1252]
VOL4:Salpingo-Oophorectomy	Term	Add		- with hysterectomy
VOL4:Salpingo-Oophorectomy:with hysterectomy	See	Add		— see Hysterectomy
VOL4:Salpingo-Oophorectomy:bilateral	Term	Delete*	<del>bilateral</del>	
VOL4:Salpingo-Oophorectomy:unilateral	Term	Delete*	<del>unilateral</del>	
VOL4:Skull base surgery:vascular lesion:cavernous sinus:with intracranial carotid artery exposure	Block	Revise	47	18
VOL4:Study:perchlorate discharge	Block	Revise	1884	1863
VOL4:Test, testing:oesophageal motility	Block	Revise	1866	1859
VOL4:Training:body positioning	Block	Revise	1836	1876

## VOLUME 5 AUSTRALIAN CODING STANDARDS

p185	<b>1506 PRESENTATIONS REGARDED AS ABNORMAL</b>
Add	The listed malpresentations and malpositions should be coded if <u>present during labour or at delivery</u> :
p193	<b>1546 FETAL HEART RATE DECELERATIONS</b>
Revise	Documentation of 'early', 'late' or 'variable' decelerations should <b>only not</b> be coded in the <del>absence</del> presence of <del>documentation</del> <u>documented</u> of 'fetal distress' or <u>instrumental or surgical intervention is undertaken</u> .
p193	<b>1547 MECONIUM IN LIQUOR</b>
Revise	Meconium in liquor <u>alone</u> is not always an indication of fetal distress and therefore should only be coded when 'fetal distress' is documented <u>or instrumental or surgical intervention is undertaken</u> .



**F44.0 Dissociative amnesia**  
 The main feature is loss of memory, usually of important recent events, that is not due to organic mental disorder, and is too great to be explained by ordinary forgetfulness or fatigue. The amnesia is usually centred on traumatic events, such as accidents or unexpected bereavements, and is usually partial and selective. Complete and generalised amnesia is rare, and is usually part of a fugue (F44.1). If this is the case, the disorder should be classified as such. The diagnosis should not be made in the presence of organic brain disorders, intoxication or excessive fatigue.

**Excludes:** alcohol- or other psychoactive substance-induced amnesic disorder (F10–F19 with common fourth character .6) ~~amnesia:~~  
amnesia:  
 • anterograde (R41.1)  
 • NOS (R41.3)  
 • retrograde (R41.2)  
 nonalcoholic organic amnesic syndrome (F04.9)  
 postictal amnesia in epilepsy (G40.-)

**Amnes(tic syndrome (confabulatory)(due to) F1-.6**  
 - alcohol-induced F10.6  
 - drug-induced — ~~see code to F11–F19 with fourth character .6~~  
 - due to (secondary to) general medical condition F04.9  
 - organic  
 - alcohol-induced F10.6  
 - drug-induced — code to F11–F19 with fourth character .6  
 - post-traumatic F04.00  
 - duration  
 - - - < 24 hours F04.01  
 - - - 14 days F04.03  
 - - - 24 hours and < 14 days F04.02  
 - sedative, hypnotic or anxiolytic-induced F13.6

**Disorder (of) — see also Disease**  
 - amnesic, amnesic — see Amnes(tic syndrome  
 - alcohol-induced F10.6  
 - drug-induced — ~~code to F11–F19 with fourth character .6~~  
 - due to (secondary to) general medical condition F04.9  
 - sedative, hypnotic or anxiolytic-induced F13.6

**Syndrome — see also Disease**  
 - amnesic, amnesic (confabulatory)(due to) F1-.6  
 - alcohol-induced F10.6  
 - drug-induced — code to F11–F19 with fourth character .6  
 - due to (secondary to) general medical condition F04.9  
 - organic  
 - alcohol-induced F10.6  
 - drug-induced — code to F11–F19 with fourth character .6  
 - post-traumatic F04.00  
 - duration  
 - - - < 24 hours F04.01  
 - - - ≥ 14 days F04.03  
 - - - ≥ 24 hours and < 14 days F04.02  
 - sedative, hypnotic or anxiolytic-induced F13.6

**Audiometry NEC 11306-00 [1843]**  
 - conduction  
 - air (standard technique) 11309-00 [1836]  
 - - - with use of visual reinforcement 11309-01 [1836]  
 - - - and  
 - - - bone (standard technique) 11312-00 [1836]  
 - - - - with use of visual reinforcement 11312-02 [1836]  
 - - bone and air 11312-00 [1836]

**Excision — see also Removal**  
 - ovary  
 - with excision of fallopian tube — see Salpingo-oophorectomy block [1252]  
 - and hysterectomy — see Hysterectomy  
 - bilateral (laparoscopic)(total) 35638-03 [1243]  
 - - - via laparotomy 35717-01 [1243]  
 - partial (laparoscopic) 35638-01 [1243]  
 - - via laparotomy 35713-06 [1243]  
 - total (laparoscopic) (unilateral) 35638-02 [1243]  
 - - - bilateral 35638-03 [1243]  
 - - - via laparotomy 35713-07 [1243]  
 - - - bilateral 35717-01 [1243]  
 - - - unilateral (laparoscopic)(total) 35638-02 [1243]  
 - - - via laparotomy 35713-07 [1243]  
 - wedge (laparoscopic) 35638-00 [1243]  
 - - via laparotomy 35713-05 [1243]

**Fenton's procedure** (enlargement of vaginal orifice) 35569-00 [1287]  
**Fertilisation, In vitro (IVF) 13215-03 [1297]**  
 - retrieval oocyte (transvaginal) 13212-00 [1297]  
 - transabdominal 13212-01 [1297]  
 - transfer (of)  
 - embryo (to)(uterus) 13215-01 [1297]  
 - fallopian tube (TEST) 13215-02 [1297]  
 - gamete intrafallopian (GIFT) 13215-00 [1297]  
 - oocyte with sperm (fallopian tube) 13215-00 [1297]  
 - zygote intrafallopian (ZIFT) 13215-02 [1297]  
**FESS (functional endoscopic sinus surgery) — see specific procedure performed**

**Oophorectomy**  
 - with excision of fallopian tube — see Salpingo-oophorectomy block [1252]  
 - and hysterectomy — see Hysterectomy  
 - bilateral (laparoscopic)(total) 35638-03 [1243]  
 - - via laparotomy 35717-01 [1243]  
 - partial (laparoscopic) 35638-01 [1243]  
 - - via laparotomy 35713-06 [1243]  
 - total (laparoscopic) (unilateral) 35638-02 [1243]  
 - - bilateral 35638-03 [1243]  
 - - via laparotomy 35713-07 [1243]  
 - - - bilateral 35717-01 [1243]  
 - - unilateral (laparoscopic)(total) 35638-02 [1243]  
 - - via laparotomy 35713-07 [1243]  
 - wedge (laparoscopic) 35638-00 [1243]  
 - - via laparotomy 35713-05 [1243]