



**IHPA**

# ICD-10-AM Eleventh Edition to ICD-10 mapping tables

## User Guide

2019

## **User Guide – ICD-10-AM Eleventh Edition to ICD-10 mapping tables**

© Copyright Independent Hospital Pricing Authority 2019. All rights reserved.

Independent Hospital Pricing Authority material used 'as supplied'.

When citing this publication, the Independent Hospital Pricing Authority prefers the following attribution:

*Source: The Independent Hospital Pricing Authority*

Address all correspondence and requests for a licence to:

Independent Hospital Pricing Authority

PO Box 483

Darlinghurst, NSW, 1300

Australia

## User Guide for ICD-10-AM to ICD-10 mapping tables

These tables provide one-to-one mappings of Australian codes in ICD-10-AM (from First to Eleventh Edition) to ICD-10 (corresponding Edition) codes. The mapping tables only include valid ICD-10-AM codes not present in ICD-10. All other ICD-10-AM codes not present in these tables are exactly the same as the codes in ICD-10 and are included in ICD-10 to ICD-10-AM mapping tables.

The one-to-one mapping was achieved by recoding the ICD-10-AM concept in ICD-10. In the majority of cases this will result in the ICD-10-AM code being mapped to the code immediately above it in the hierarchy of both classifications (e.g. E10.11 maps to E10.1 in ICD-10). However, sometimes a concept will be coded to a different rubric in each classification. For example, Treacher Collins Syndrome is coded to Q87.04 in ICD-10-AM and Q75.4 in ICD-10 creating what looks like an error in the sequence when viewing the mapping table.

ICD-10-AM Code	ICD-10-AM Code Descriptor	ICD-10 Map
Q87.04	Treacher Collins [-Franceschetti] [-Klein] syndrome	Q75.4

The one-to-one map is sometimes difficult when a concept maps to more than one concept in ICD-10 and should be noted by those using the tables for research purposes. For example, iatrogenic pneumothorax was classified to J93.2 in ICD-10-AM First Edition and is mapped to J93.8 *Other pneumothorax*, but it could be argued that J95.84 *Postprocedural pneumothorax* is also appropriate. In these cases, preference is given to the map within the hierarchy in which the ICD-10-AM code resides (that is, J93.2 maps to J93.8).

### Fields included

The fields included in these tables are:

- ICD-10-AM Code
- ICD-10-AM Code Descriptor
- ICD-10 Map

### Values within the “ICD-10 Map” field

Some concepts in ICD-10-AM do not have equivalent concepts in ICD-10 and in those cases the map will be “nil”. For example, the ICD-10-AM codes in category O09 *Duration of pregnancy* have no equivalent in ICD-10.

“Place=” relates to the ICD-10 subdivision for “place of occurrence” of the external cause of injury. The single character subdivision in ICD-10 has been expanded in ICD-10-AM to a full code and therefore maps to the single character subdivision in ICD-10.

“Act =” relates to the ICD-10 subdivision for “activity” of the external cause of injury. The single character subdivision in ICD-10 has been expanded in ICD-10-AM to a full code and therefore maps to the single character subdivision in ICD-10.